

A	Model	C	Outdoor unit		MXZ-2F42VF4				
			B	Indoor unit 1		MSZ-AY25VGK			
		Indoor unit 2		MSZ-AY25VGK					
		Indoor unit 3		-					
		Indoor unit 4		-					
		Indoor unit 5		-					
		Indoor unit 6		-					
D	Sound Power level on cooling mode	F	Out-side	dB(A)	59				
			E	Inside 1	dB(A)	57			
		Inside 2		dB(A)	57				
		Inside 3		dB(A)	-				
		Inside 4		dB(A)	-				
		Inside 5		dB(A)	-				
		Inside 6	dB(A)	-					
G	Refrigerant				R32				
H	Cooling	SEER			8,0				
		J	Energy efficiency class			A+++			
		K	Annual electricity consumption *2	kWh/a	182				
		L	Design load	kW	4,2				
					Warmer	Average	Colder		
M	Heating	SCOP			-	4,5	-		
		J	Energy efficiency class			-	A+	-	
		K	Annual electricity consumption *2	kWh/a	-	994	-		
		L	Design load	kW	-	3,2	-		
		N	De- clared capacity	P	at reference design temperature	kW	-	2,7	-
				R	at bivalent temperature	kW	-	2,9	-
				S	at operation limit temperature	kW	-	2,3	-
		T	Back up heating capacity	kW	-	0,5	-		



