

A	Model	C	Outdoor unit		MXZ-4F72VF4				
			B	Indoor unit 1		MSZ-AY20VGKP			
		Indoor unit 2		MSZ-AY20VGKP					
		Indoor unit 3		MSZ-AY35VGK					
		Indoor unit 4		MSZ-AY35VGK					
		Indoor unit 5		-					
		Indoor unit 6		-					
D	Sound Power level on cooling mode	F	Out-side	dB(A)	63				
			E	Inside 1	dB(A)	57			
		Inside 2		dB(A)	57				
		Inside 3		dB(A)	57				
		Inside 4		dB(A)	57				
		Inside 5		dB(A)	-				
		Inside 6	dB(A)	-					
G	Refrigerant *1				R32				
H	Cooling	SEER			7,7				
		J	Energy efficiency class			A++			
		K	Annual electricity consumption *2	kWh/a	328				
		L	Design load	kW	7,2				
					Warmer	Average	Colder		
M	Heating	SCOP			-	4,1	-		
		J	Energy efficiency class			-	A+	-	
		K	Annual electricity consumption *2	kWh/a	-	2411	-		
		L	Design load	kW	-	7,0	-		
		N	De- clared capacity	P	at reference design temperature	kW	-	-	-
				R	at bivalent temperature	kW	-	-	-
				S	at operation limit temperature	kW	-	-	-
		T	Back up heating capacity	kW	-	-	-		



