

A	Model	C	Outdoor unit		MXZ-3F54VF4				
			B	Indoor unit 1		MSZ-AY15VGKP			
		Indoor unit 2		MSZ-AY20VGKP					
		Indoor unit 3		MSZ-AY25VGKP					
		Indoor unit 4		-					
		Indoor unit 5		-					
		Indoor unit 6		-					
D	Sound Power level on cooling mode	F	Out-side	dB(A)	60				
			E	Inside 1	dB(A)	54			
		Inside 2		dB(A)	57				
		Inside 3		dB(A)	57				
		Inside 4		dB(A)	-				
		Inside 5		dB(A)	-				
		Inside 6	dB(A)	-					
G	Refrigerant *1				R32				
H	Cooling	SEER			7,5				
		J	Energy efficiency class			A++			
		K	Annual electricity consumption *2	kWh/a	258				
		L	Design load	kW	5,4				
					Warmer	Average	Colder		
M	Heating	SCOP			-	4,3	-		
		J	Energy efficiency class			-	A+	-	
		K	Annual electricity consumption *2	kWh/a	-	1617	-		
		L	Design load	kW	-	5,2	-		
		N	De- clared capacity	P	at reference design temperature	kW	-	-	-
				R	at bivalent temperature	kW	-	-	-
				S	at operation limit temperature	kW	-	-	-
T	Back up heating capacity	kW	-	-	-				

